

TOWN OF RICHLANDS

Bid Specifications

The Town of Richlands is accepting sealed bids for a 2015 Chevy 3500 Type III Ambulance. Bid specifications may be obtained at the Town Hall from 8:00 a.m. to 4:30 p.m. Bid closing will be Thursday, January 29, 2015, at 2:00 p.m. The Town of Richlands reserves the right to reject any or all bids, to waive any irregularities or informalities in the bidding, and to accept the proposal which, in its opinion, will be in the best interest of Town. The Town encourages proposals from Minority Business Enterprises and Women's Business Enterprises.

**TOWN OF RICHLANDS
200 Washington Square
Richlands, Virginia 24641
Telephone 276-964-2566
FAX 276-963-2889**

INVITATION TO BID

CERTAIN VEHICLE 2015 Chevy 3500 Type III Ambulance

ALL BIDS DUE PRIOR TO 2:00 P.M., ON THURSDAY JANUARY 29, 2015

Sealed bids, subject to the specifications and conditions contained herein, will be received by the Town of Richlands, 200 Washington Square, Richlands, Virginia 24641 ATTENTION: Mr. Timothy L. Taylor, Town Manager prior to the date and time stated above 2:00 P.M., Thursday, January 29, 2015. Bids will be publicly opened and read for the purchase of new, current model year vehicles.

Any bid received after the announced time and date of opening, whether by mail or otherwise, will not be considered and will be returned, unopened.

COOPERATIVE AGREEMENT

This procurement is being conducted on behalf of the Town of Richlands, Virginia and other public bodies in accordance with the provision of section 2.2-4304 of the Virginia Procurement Act.

If approved by the contractor, any public body using the resultant contract has the option of executing a separate contract with the **Contractor** to add and/or remove terms and conditions which conflict with its governing statutes, ordinances, or regulations.

The Town of Richlands, its officials and staff are not responsible for placement of orders, invoicing, payments, contractual disputes, or any other transactions between the contractor and any other public bodies, and in no event shall the Town, its officials or staff be responsible for any costs, damages or injury resulting to any party from use of a **Town of Richlands** contract.

SPECIFICATIONS

The specifications for the vehicles are included on the attached form. All areas need to be completed and returned with the bid proposal.

The vehicles shall be supplied with **ALL** standard manufacturers' equipment, in addition to the specifications.

The vehicles provided shall meet all applicable **State, Federal** and **OSHA** motor vehicle regulations and safety requirements. All components, unless otherwise specified, shall be the standard or optional equipment specifically advertised and installed by the manufacturer.

The vehicles shall be delivered with a new, valid **Virginia state inspection decal and temporary license plates**. Vehicles shall comply with all Commonwealth of Virginia titling requirements.

MEDIX Model	Metro Express RP-90 ES, Type III			
CHASSIS	Chevy/GMC 3500 Cutaway, 6.0L Gas, 139" WB, 12,300 GVWR			
BODY	146"L x 90"W x 68" Interior Headroom			
QTY	STD/OPT	Description	Unit Price	Total
	14-90ES-FG	Chassis & Conversion		
01- Flooring & Interior Colors				
1	STD	Cabinets: Laminated Wood- (Specify Color)		
		Color: Gray		
1	STD	Upholstery: (Specify Color)		
		Color: Gray Brand: EVS		
1	STD	Flooring: Mannington Insight+ #6612, Gray		
02- Body & Chassis				
1				
1	STD	All Exterior compartments coated with light gray colored Herculiner material.		
1	STD	Walk-Thru w/Sliding Door. Slides behind driver's seat		
1	STD	Fender Flares: Black rubber		
1	STD	Compartment #1 SS Forward: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , O2 cylinder storage, Door w/rubber socket/nylon ball hold-open, LED light in ceiling		
1	STD	Compartment #2 SS Center: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Open Storage, Door w/gas strut hold-open and Seat Belt Strap. (1) round Halogen light.		
1	STD	Compartment #3 SS Rear: <u>Smooth Aluminum</u> body, <u>ADP interior door panel</u> , Vertical backboard storage w/2- belts. Door w/rubber socket/nylon ball hold-open. (1) round Halogen light in ceiling.		
2	STD	Rear Entry Doors: Single piece laminated smooth aluminum door liner w/stainless steel center panel for black paddle handles; ADP kick panels.		
1	STD	Compartment #4/5 CS Forward: NO body above floor, <u>ADP interior door panel</u> , ALS Cabinet w/ Inside/Outside access, Full-height, single Door w/gas strut hold-open, (2) round Halogen lights. Bottom section aluminum body w/roll-out battery tray w/removable, latching door.		
1	STD	Curbside Entry Door: Single piece, laminated smooth aluminum door liner w/stainless steel center panel for black and chrome paddle handles; ADP kick panels. Gas strut door hold-open. Smooth aluminum stepwell w/Dri-Dek insert.		
1	STD	All Entry Door paddle handle and rotary latching components meet the FMVSS 206 30G Test Requirement		
1	STD	Rear Bumper: ADP corner pods w/Dock bumper pads, Center grip-strut flip-up step, powder coated steel frame		
2	STD	IV Hangers: (2) Cast black rubber fold-down of knee area of Cot and Squad Bench		

2	OPT	Mirrors, Velvac, Manual		
4	OPT	Wheel Covers: Stainless steel covers w/Valve Extenders		
4	STD	Stone Guards, lower body corners, ADP		
2	STD	Running Boards, formed ADP with front splash guards		
1	STD	Rub Rails, C-Channel, tapered ends, Lower Body off-set mount with neoprene spacers.		
2	STD	Cast aluminum fuel fill bezel; Cast aluminum DEF fill bezel w/insert		
1	STD	Undercoating: Per QVM Guidelines		
03- Brake, Turn & Back-Up Lights				
1	STD	Brake, Turn & Back-up Lights: Whelen 7x3 Halogen, recessed and stacked above rear kickplate		
1	STD	DOT Marker Lights: TecNiq LED, rubber grommet bezels; (7) S34-AA09-1 Amber- (5) on front of body as Marker lights, (2) side facing on rear extrusions as Turn Signals; (7) S34-RR00-1 Red- (5) on rear of Body as Marker lights, (2) side facing as Turn Signals.		
04- Electrical, Power Distribution, Control Center & Interior Lighting				
1	400005	Battery Switch, Automatic: TST CDR-357- ILOS Cole-Hersee. NOTE: Locate in electrical cabinet.		
2	STD	Antenna, Radio Coax Cable terminated behind driver's seat w/Power & Ground for each		
6	STD	Dome Lights: Halogen w/chrome flange, 2-banks of three (3) lights switched separately with Hi/Lo functions		
1	STD	Action Area Light: 16", 12 VDC LED Strip light, 18 diodes and On/Off switch on rear control panel		
1	STD	Shoreline: 125 VAC, 20-Amp, 60 Hz, straight blade inlet w/hinged, weatherproof cover, located above Compartment #2 SS		
1	STD	Timer: 5-minute check-out, wired to CS High mode dome lights		
1	STD	Inverter: Pre-Wire w/switch on rear panel. Pre-wire located in lower walk-thru cabinet		
2	STD	12 VDC Outlets: (1) in Action Area, (1) in ALS Cabinet		
2	STD	125 VAC Outlets: Duplex, located 1-in Action Area, 1- in ALS		
1	STD	Spotlight: 400,000 CP handheld, hard wired, w/momentary On/Off switch, located in cab		
1	STD	Front Console: Formed ABS body attached to engine cover. Switch panel with siren panel below		
1	STD	Electrical Cabinet: Located over walk-thru w/latching, recessed, vented door		
1	STD	Battery Conditioner, Power Source, 45-Amp- Lower WT cabinet		
05- Warning Lights & Sirens				
1	OPT	Light Bar, Front: Whelen 4500, LED light pkg, 3-flashers, 4-rotators Lights: R, R, R, C, R, R, R Lenses: C, C, C, C, C, C, C (see at bottom for light pkge.)		
6	STD	Lights, Warning: 9x7 Red Halogen- 2-on rear corners, 2-on each side		
1	STD	Light, Warning: 9x7 Amber Halogen, located center rear		
2	STD	Lights, Warning, Grille: 5x2 Red LED w/chrome bezel on center grille bar		
2	STD	Lights, Warning, Intersection: 7x3 Red Halogen w/chrome flange, 1-on each fender		
2	STD	Lights, Warning: 9x7 Red Halogen, located mid-body rear, function as Brake/Warning lights		

4	STD	Lights, Scene: 9x7 Halogen w/8-32-degree optics, (2) located each side		
2	STD	Lights, Load: 9x7 Halogen w/8-32-degree optics, (2) located rear		
1	STD	Flasher- for Warning Light system, Vanner 9860GCPE		
2	STD	Siren Speakers: dual 100 Watt drivers mounted through the front bumper		
1	STD	Siren- Carson SA 500, 200 Watt		
06- Oxygen, Vacuum & Miscellaneous Items				
3	STD	Oxygen Outlets: Quick-connect style, 2-in Action Area, 1-over Squad Bench		
1	STD	Suction Aspirator System: Rico disposable container mounted in Action Area w/gaugé and quick-connect; GAST vacuum pump mounted in lower walk-thru cabinet		
1	STD	Oxygen Cylinder Retention: For "M" cylinder, black steel w/3-spring buckle straps and top collar, located in Compartment #1		
1	STD	O2 Regulator, Amvex, 50psi, pre-set		
07- AC / Heat				
1	STD	HVAC System: High capacity Free Blow combination Heat-AC system, multi-speed fan and thermostatic control in Action Area. HVAC unit mounted above ALS cabinet.		
08- Cabinets, Hardware & Miscellaneous Items				
1	STD	Main Streetside Wall Cabinets: Specify desired configuration- Full Wall of Cabinets Cabinets with CPR Seat w/TriMark Latch		
		Main Wall Cabinets will have (1) adjustable shelf in each and sliding Lexan doors with full height extruded handles. See Prints for Configuration.		
1	STD	Action Area Overhead Cabinet: <u>Single cabinet full-height/full-depth of Action Area</u> with sliding Lexan doors and full height extruded handles.		
1	STD	Action Area and <u>Switch Panel</u> : Laminated, sealed countertop and vertical panel with Suction system collection cannister, Vacuum gauge, (2) Oxygen outlets, (1) 12VDC Outlet, and (1) 125VAC Outlet. <u>Switch panel includes (14) switch positions, Thermostat and digital clock w/Mode Buttons. MX01516</u>		
2	STD	Bulkhead Cabinets: Cabinet above Tech Seat- open storage w/hinged, latching door; Electrical Cabinet located over walk-thru w/latching, vented door		
1	STD	Walk-Thru Cabinets: Upper cabinet- open storage w/hinged, latching door; Lower cabinet open storage w/hinged, latching, vented door and location for inverter and vacuum pump on floor..		
1	STD	ALS Cabinet: Lower section- Locking storage for 747 box, Middle & Upper Section- Open w/1-adjustable shelf		
1	STD	Squad Bench:		
	1	Full length hinged lid w/TriMark latch for access to interior storage		
	2	Full length upholstered seat cushion except over Sharps/Waste Area; full width upholstered back rest cushion		
	3	(2) Belted seating positions w/(3) long bottom straps for 2nd Patient restraint		
1	STD	Sharps/Waste: Drop-in style w/Red polycarbonate hinged lid and standard containers, located at head of squad bench.		
1	STD	Cabinet, Rear Overhead: Cabinet over rear door opening w/Lexan sliding doors w/full height extruded handles		

1	STD	Technician's Seat: EVS Rear facing automotive style chair with Type II lap/shoulder belt mounted on steel base w/side access to storage.		
1	STD	Assist Rail, overhead off-center toward Streetside of unit.		
3	STD	Grab handle- stainless steel, mounted on each rear entry and curbside entry door		
7	STD	Reflective Striping, Door Open Protection: .50" Red reflective striping around interior door pan of all body doors.		
1	STD	Pole, Medical Equipment: Chrome pole mounted on inboard rear corner of Action Area shelf and extended to ceiling		
09- Cots & Miscellaneous Items				
1	STD	Cot Mount: Ferno 175-3		
		Specify Cot Model to be used:		
10- Paint & Lettering				
1	STD	Paint: Body all OEM White		
	1000100	Roof Star ONLY, INSTALLED		
		SHIP LOOSE		
2	STD	5 Lb. Fire Extinguisher- Ship Loose is Standard		
1		Chevrolet Factory Rebate you may qualify for	-1,700.00	-1,700.00
TOTAL ORDER				

I have reviewed this Order and find it to be acceptable and ready to build.


Customer Signature

Date: _____

I have reviewed this Order and find it to be acceptable and ready to build with the addition of the attached, approved changes.

Dealer Signature

Date: _____



Rear Chevron (doors only)
Paint Mid-body down
4" Reflective Stripe
Pin Stripe Reflective
Sliding Window on C/S door
S/S Fender Flares
15 minute checkout timer
Shoreline Auto Eject
All Exterior Emergency LED lite Pkge.
Wig Wag lites
Fog Lights
Analog Clock
Stryker Cot Mount
Floor Kick Plates
Dri-Deck all ext. Comp.

Glove Holder for 3 sizes
Flooring Lonplate
A-Bar w/ Sharps/ Waste at head of SB

ALS Cabinet Lower Locker 747. Middle and Upper w/dual
wood doors (both locking)(1) adjust. Shelf. No outside acc.
Back Up Camera w/monitor in mirror

OPT Factory Trip (per person, per trip)